



June 29, 2020

Arthur Burbank USDA Forest Service 4350 South Cliffs Dr. Pocatello, ID 83204

Subject: Biological Selenium Removal Treatment Technology

Water Treatment Pilot Study May 2020 Progress Report

Dear Art,

This progress report summarizes key activities in May 2020 associated with Phase 2 of the Water Treatment Pilot Study located near Hoopes Spring. This Pilot Study is being conducted as part of the Smoky Canyon Mine Remedial Investigation/Feasibility Study (RI/FS) to provide information on the effectiveness of the active biological treatment system in removing selenium and other COPCs from South Fork Sage Creek Springs and Hoopes Spring.

Work related to the approved Phase 2 Pilot Study continues at the site in accordance with the Final Phase 2 Pilot Study Work Plan and Sampling and Analysis Plan, Ultra-Filtration/Reverse Osmosis and Biological Selenium Removal Fluidized Bed Bioreactor Treatment Technology (Phase 2 WP/SAP).

Identification of Deliverables and Data Transmittals

There were no outstanding deliverables or transmittals for the month of May. At the time of this report, we have received laboratory data for Weeks 117 and 119. Preliminary laboratory data are presented in Table 1. The field data for the Weeks 117 and 119 sampling events is summarized in Table 2.

Completed Activities

The following activities associated with the Phase 2 Pilot Study were completed in May 2020:

Continued system operation and treatment of selenium.

The Treatment System Pilot (TSP) influent total selenium concentration for Week 117 was 166 ug/L and Week 119 was 160 ug/L. The Treatment System Pilot effluent total selenium concentration for Week 117 was 23.5 ug/L and Week 119 was 23.9 ug/L. The average removal efficiency for May was approximately 85% for total selenium removal.

The average flow of the TSP for the month of May was 1,339 gpm. The lower average flow this month has been caused by down time associated with difficulties with settlement of the biology in the post treatment system. Since full scale operations began in early December 2017 approximately 2.037 billion gallons of impacted water has been treated. The mass of selenium



removed from December 2017 through May 2020 is approximately 2,120 pounds.^{208 235-5600 Business}

Upcoming Activities

The following activities associated with the Phase 2 Pilot Study are planned through June 2020:

- Continue system monitoring in accordance with the sampling and analysis plan.
- The approved iron co-precipitation pilot project is slated to begin in July 2021. The
 currently approved compliance sampling schedule will be utilized to collect the data. As
 data becomes available, it will be reported to the Forest Service in these monthly
 reports.

Please contact me if there are questions regarding this monthly progress report.

Sincerely,

Jeffrey Hamilton

Environmental Engineer

CC:

Arthur Burbank - USFS, 410 East Hooper, Soda Springs, ID 83276

Sherri Stumbo – USFS, 4350 South Cliffs Dr., Pocatello, ID 83204

Rick McCormick – Jacobs, email only

Doug Scott - Jacobs, email only

Ralph Oborn – IDEQ, email only

Brady Johnson – IDEQ, email only

Tracy Rita - IDEQ, email only

Colleen O'Hara – BLM, email only

Jennifer Crawford - USEPA, email only

Sandi Fisher – USFWS, email only

Ryan Braham – USFWS, 4425 Burley Dr., Suite A, Chubbuck, ID 83202

Kelly Wright – Shoshone-Bannock Tribes, P.O. Box 306, Fort Hall, ID 83203

Susan Hanson – (b) (6) , Pocatello, ID 83202

Gary Billman - IDL, email only

Alan Prouty – J.R. Simplot Company, email only

Rachel Roskelley – J.R. Simplot Company, email only

Lori Lusty – J.R. Simplot Company, email only

Jon Witt – J.R. Simplot Company, email only

Dedra Williams – J.R. Simplot Company, email only

Chad Gentry – J.R. Simplot Company, email only

Ron Quinn – J.R. Simplot Company, email only

Delmer Cunningham – J.R. Simplot Company, email only

Andy Koulermos – Formation Environmental, email only

Lily Vagelatos – Formation Environmental, email only

Jeremy Aulbach – Brown and Caldwell, email only

Table 1
Laboratory Results Focused Analyte List

| | | | Week 117 | | Week 119 | | | | |
|---------------------------|-------|--------------------|---------------------------|--------------------|--|---------------------------|--------------------|--|--|
| Station >> | | Influent | Ultra Filtration Backwash | Effluent | Influent | Ultra Filtration Backwash | Effluent | | |
| Sample ID >> | | SC0520-LSSHS-IN001 | SC0520-LSSHS-UFB001 | SC0520-LSSHS-EF001 | SC0520-LSSHS-IN002 SC0520-LSSHS-UFB002 | | SC0520-LSSHS-EF002 | | |
| Date >> | | 5/13/2020 | | | 5/27/2020 | | | | |
| Analyte | Units | | | | | | | | |
| General Chemistry | | | | | | | | | |
| Ammonia, as N | mg/L | 0.026 U | 0.026 U | 0.026 U | 0.026 U | 0.026 U | 0.026 U | | |
| Biochemical Oxygen Demand | mg/L | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | | |
| TSS | mg/L | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | | |
| Nutrients | | | | | | | | | |
| Nitrate, as N | mg/L | 0.45 | 0.2 | 0.68 | 0.37 | 0.27 | 0.55 | | |
| Sulfide | mg/L | 1 U | 1 U | 1 U | 1 U 1 U | | 1 U | | |
| Phosphorus, Total | mg/L | 0.0171 | 0.0329 | 0.107 | 0.022 | 0.0518 | 0.152 | | |
| Metals and Metalloids | | | | | | | | | |
| Selenium, Dissolved | mg/L | 0.173 | 0 0396 | 0.0233 | 0.176 0.0734 | | 0.025 | | |
| Selenium, Total | mg/L | 0.166 | 0 0394 | 0.0235 | 0.16 0.0721 | | 0.0239 | | |

Notes

Results presented are preliminary, and have not been validated at the time of this report.

U - Analyte not detected above the method detection limit (MDL).

J - Result is estimated.

Table 2 Field Water Quality Data

| | | Parameter >> | Dissolved Oxygen | ORP | pН | SC | Temperature | Turbidity | | | | | |
|---------------------------|---------------------|--------------|------------------|-----|------|----------|-------------|-----------|--|--|--|--|--|
| | | Units >> | mg/L | m∨ | SU | umhos/cm | С | NTU | | | | | |
| Station | Sample ID | Date | | | | | | | | | | | |
| Week 117 | | | | | | | | | | | | | |
| Influent | SC0520-LSSHS-IN001 | 5/13/2020 | 9.84 | 43 | 6.87 | 485 | 17.16 | 0.9 | | | | | |
| Ultra Filtration Backwash | SC0520-LSSHS-UFB001 | 5/13/2020 | 10.13 | 207 | 6.72 | 108 | 13.25 | 1.8 | | | | | |
| Effluent | SC0520-LSSHS-EF001 | 5/13/2020 | 7.74 | 88 | 7.14 | 504 | 13.2 | 0.6 | | | | | |
| Week 119 | | | | | | | | | | | | | |
| Influent | SC0520-LSSHS-IN002 | 5/27/2020 | 7.71 | 117 | 6.62 | 522 | 13.51 | 0.4 | | | | | |
| Ultra Filtration Backwash | SC0520-LSSHS-UFB002 | 5/27/2020 | 6.61 | 150 | 6.29 | 242 | 13.19 | 1.4 | | | | | |
| Effluent | SC0520-LSSHS-EF002 | 5/27/2020 | 7.14 | 131 | 6.41 | 490 | 13.26 | 0.5 | | | | | |

Notes: